

of empty channels, a lattice of channels, and a lattice of spherical pores. In the case of a wall of channels, the transport current flows along the wall (perpendicular to the channels) through a region of thickness $\sim 2\delta_0$. The critical current is determined by formula (9). In the case of a regular channel lattice ($d \times d$) and a weak field ($B < 2\Phi_0/d^2$) the critical-current density is given by (15). In the case of a strong field ($B \gg 2\Phi_0/d^2$) the critical-current density is determined by (16) if $B < H_{c2}/\sqrt{3}\pi$ and by (17) if $B > H_{c2}/\sqrt{3}\pi$. Finally, for a regular cubic lattice of spherical pores we have formula (16) when $B < 4r^2H_{c2}/(\sqrt{3}\pi d^2)$ and (18) when $B > 4r^2H_{c2}/(\sqrt{3}\pi d^2)$.

¹V. V. Schmidt, Zh. Eksp. Teor. Fiz. **57**, 2095 (1969) [Sov. Phys.-JETP **30**, 1137 (1970)].

²V. V. Schmidt, Zh. Eksp. Teor. Fiz. **61**, 398 (1971) [Sov. Phys.-JETP **34**, 211 (1972)].

³G. S. Mkrtychyan and V. V. Schmidt, Zh. Eksp. Teor. Fiz. **61**, 367 (1971) [Sov. Phys.-JETP **34**, 195 (1972)].

⁴A. I. Rusinov and G. S. Mkrtychyan, Zh. Eksp. Teor. Fiz. **61**, 773 (1971) [Sov. Phys.-JETP **34**, 413 (1972)].

⁵Yu. F. Bychkov, V. G. Vereshchagin, V. R. Karasik, G. B. Kurganov, and V. A. Mal'tsev, Zh. Eksp. Teor. Fiz. **56**, 505 (1969) [Sov. Phys.-JETP **29**, 276 (1969)].

⁶H. T. Coffey, Phys. Rev. **166**, 447 (1968).

⁷P. W. Anderson, Phys. Rev. Lett. **9**, 309 (1962).

⁸G. W. Cullen, Proc. 1968 Summer Study Supercond. Devices and Accelerators, N. Y., 1969, p. 437.

⁹R. Hecht, translation in: Sverkhprovodyashchee soedinenie niobii-olovo (The Superconducting Niobium-tin Alloy), Metallurgiya, 1970, p. 139.

¹⁰K. Mendelsson, Proc. R. Soc. A **152**, 34 (1935).

¹¹C. J. Gorter, Physica (Utr.) **2**, 449 (1935).

¹²W. W. Webb, J. Appl. Phys. **42**, 107 (1971).

Translated by J. G. Adashko

228

ERRATA

Article by I. S. Shikin, "Analogues of Anisotropic Homogeneous Models of General Relativity in Newtonian Cosmology," Vol. 34, No. 2, 236 (1972):

1. In formula (2.3c) on p. 237 in the last round bracket read δ_a^g .
2. In formula (2.3d) on p. 237 there should be a plus sign in front of $(\kappa_a^g)^2$.
3. In formula (2.13) on p. 238 read $K_{\delta\beta}$ in place of $K_{\gamma\beta}$.
4. In formula (3.5) on p. 238 read R^3 instead of B^3 .

Article by E. G. Brovman, Yu. Kagan, and A. Kholas, "Properties of Metallic Hydrogen under Pressure," Vol 35, No. 2, 783 (1972):

The legend on the ordinate axis of Fig. 6 on p. 786 should read

$$E_{vib}, 10^{-2} \text{ Ry/atom.}$$